

726A

APPLICATION QUESTIONNAIRE

DustAlarm® Broken Bag Detector

Name: _____ Date: _____
Company: _____ Job Title: _____
Telephone: _____ Address: _____
Fax: _____
Industry of End User: _____ E-mail: _____

Material: _____

Bulk Density: _____ Particle Size: _____
 Conductive Abrasive Corrosive Coats Pipe/Chute Wall

Int. Duct Temp:	Ambient Temp:	Moisture Cnt:
Min: _____ °F	Min: _____ °F	Min: _____ %
Max: _____ °F	Max: _____ °F	Max: _____ %

Air Velocity: _____ f/s m/s Particulate Flow Rate: _____ lbs/hr
Cubic Feet Per Minute: _____ Pressure: _____ psig (BAR)

Output Required: Alarm via Relay Contact

Operating Voltage: 115 Volt 230 Volt

Duct/Chute:
Material: _____
Diameter/Shape: _____

Environment:
 Indoors Outdoors
 Hazardous Location

Application Questions:

What type of process are you collecting from? _____

Is there a history of condensation in the duct work? Yes No

What type of baghouse or dust collector are you using in your process? _____

Use separate page for additional comments or sketch

726A.5.0401

HUNTSMAN, INC
Packaging, Processing and Dust Control

2362 Warren Ave.
Twin Falls, ID 83301
mail@huntsmanc.com

Ph. (208) 733-2214
Toll Free: (888) 812-3377
Fax: (208) 733-2240