

HA-400 / HA-600 / HA-800

Polishing/Brushing Machine




HUNTSMAN, INC.

2362 Warren Ave
Twin Falls, ID 83301
(208) 733-2214 • Sales Line: 1-888-812-3377
Fax (208) 733-2240



www.huntsmaninc.com



WESTRUP polishing/brushing machine type HA is a simple and sturdy machine which removes hair from bluegrass and splits twin kernels and separates pods from other types of grass seed. The WESTRUP polishing machine is available in 3 sizes, i.e. HA-400 for basic seed, and HA-600/HA-800 for large scale production.

WESTRUP HA-400:

Totally made of steel and fully enclosed. The HA-400 is supplied with internally adjustable steel beaters or brushes. Further it is equipped with a scarifier cage covered in scarifier or wire mesh according to requirement. The WESTRUP HA-400 is the smallest production machine in the HA series. The cage is in one piece, easily exchangeable through the gable wall without use of tools. As the HA-400 is easy to clean it is specially suitable for operation in basic seed plants, installations for production of flower and garden seed, research stations as well as in other places where relatively small lots of expensive seeds are treated. The WESTRUP HA-400 polishing machine is also very suitable as a sieve for granules and powder products.

WESTRUP HA-600

Made of steel with the sides of waterproof laminated wood, this model is supplied with a hard-wearing and reliable set of beaters or brushes and a three-parted easily exchangeable cage with covering of scarifier cloth or wire mesh according to requirement. The WESTRUP HA-600 polishing machine is used in grass seed installations for untangling of bluegrass in order to make it more acceptable for the subsequent sieve cleaning, but also other types of grass seed may be treated with advantage in an HA polishing machine, such as e.g. red fescue, Italian ryegrass and lots for recycling containing twin kernels. Altogether there are many fields of application for an HA polishing machine where it can increase the capacity and produce a better end product. The WESTRUP HA-600 can be supplied with a special rotor and a handwheel for external adjustment of the brush distance.

WESTRUP HA-800:

Serves the same purpose as the HA-600 but has 30% larger cage surface. Just like the HA-600 it can be supplied with externally adjustable brushes.

Huntsman, Inc.

2362 Warren Ave.
Twin Falls, ID 83301



The HA 800 Pictured above with side inspection door and mantle (cylinder) removed. Note the brush mounting assembly features our optional externally adjustable brush tension arrangement.

The distance between the brush and the mantle is controlled by turning the hand wheel located at the left hand side of the machine. Different types of brushes and mantles are available to suit a wide range of applications.

Huntsman, Inc.

2362 Warren Ave.
Twin Falls, ID 83301